


JLN-550 DOPPLER SONAR

Replacing Guide of the Transducer



Captain. K

Replacing Guide of the Transducer



<https://vizle.offnote.co>

Contact us: vizle@offnote.co

This document was generated automatically by **Vizle**

Your **Personal Video Reader Assistant**

Learn from Videos **Faster** and **Smarter**

VIZLE **PRO / BIZ**

PDF, PPT ~~Watermarks~~

- Convert *entire* videos
- *Customize* to retain all essential content
- Include Spoken *Transcripts*
- Customer support

Visit <https://vizle.offnote.co/pricing> to learn more

VIZLE **FREE PLAN**

PDF only ~~Watermarks~~

- Convert videos *partially*
- Slides may be *skipped**
- Usage restrictions
- No Customer support

Visit <https://vizle.offnote.co> to try free

Login to Vizle to unlock more slides*

4. Close the valve



Closed mark

Opened mark

Turn the steering wheel
and close a valve.
(Strongly close it with a jig)




Captian. K

3. Check the mark : Lift up the pipe by using the chain block. And check the upper position mark.





7. Sea chest separation



Captian. K


7. Sea chest separation : remove sea chest completely.

12. Apply the vacuum grease



Apply vacuum grease to the connector.
Do not apply to the terminal.

Terminal



Captian. K

11. Replace the transducer : Remove the protection rubber and the locking sleeve and remove the transducer.





<https://vizle.offnote.co>

Contact us: vizle@offnote.co

This document was generated automatically by **Vizle**

Your **Personal Video Reader Assistant**

Learn from Videos **Faster** and **Smarter**

VIZLE **PRO / BIZ**

PDF, PPT ~~Watermarks~~

- Convert *entire* videos
- *Customize* to retain all essential content
- Include Spoken *Transcripts*
- Customer support

Visit <https://vizle.offnote.co/pricing> to learn more

VIZLE **FREE PLAN**

PDF only ~~Watermarks~~

- Convert videos *partially*
- Slides may be *skipped**
- Usage restrictions
- No Customer support

Visit <https://vizle.offnote.co> to try free

Login to Vizle to unlock more slides*